## What's All the Buzz About?

BY ROBYNN MORAITES

recent national ABA study on attorney mental health and drinking has been getting a lot of buzz. Pun intended. Based some small, historic studies and anecdotally, to be sure, we have known for years that attorneys are at greater risk for depression, anxiety, and alcohol problems than the general public and even other professionals. This landmark study, however, is the first to ever bring into sharp focus, with hard data and real numbers, what we are facing in our profession across a spectrum of mental health issues. The study was conducted by the Hazelden Betty Ford Foundation and the American Bar Association Commission on Lawyer Assistance Programs. The findings were published in the peerreviewed Journal of Addiction Medicine in February 2016.

Over 15,000 attorneys participated in the national study, and the dataset was culled to retain only currently licensed and employed attorneys. Responses from attorneys who were retired, unemployed, working outside of the legal profession, suspended, or otherwise on any form of inactive status were eliminated, leaving approximately 12,800 responses. Demographics were diverse in both gender and race and captured a robust range of practice settings, practice areas, years in practice, and positions held. This is the most comprehensive data ever collected regarding attorney mental health, and the single largest dataset.

# Drinking: 21% Drinking at Harmful or Dependent Levels and 36% Drinking at Problematic Levels

Study participants completed a tenquestion instrument known as the Alcohol Use Disorders Identification Test (AUDIT-10), which screens for different levels of

problematic alcohol use, including hazardous use, harmful use, and possible alcohol dependence. The test asks about quantity and frequency of use and includes questions as to whether an individual has experienced consequences from drinking. The study found that 21% scored at levels consistent with harmful use including possible alcohol dependence. Males scored higher at 25%, compared to 16% for women. When examining responses purely for quantity and frequency of use (known as the AUDIT-3), the study found an astonishing 36% of respondents drinking at problematic levels. While there is no hard and fast line to define "problematic" levels, problematic drinking behaviors can include drinking at lunch or regularly binge drinking. Binge drinking is typically defined as consuming enough to have a blood alcohol content level of 0.08. That's about four drinks for women and five drinks for men in a two hour timeframe. When the same AUDIT-3 screening measure was used in a comprehensive survey of physicians, 15% of physicians reported use at this level—less than half of the number of attorneys reporting such use. It appears that more than one in three attorneys are crossing the line from social drinking to using alcohol as a coping mechanism.

### Shocking Reversal of Earlier Findings: Today's Younger Lawyers at Far Greater Risk

In a significant reversal of a conclusion reached by the last documented, statistically valid study—a 1990 study out of Washington State—the study found that younger lawyers struggle the most with alcohol abuse. Respondents identified as 30 years or younger had a 32% rate of problem drinking, almost one in three, higher than any other age group. This finding directly contradicts the Washington study that found the longer an

attorney practiced, the greater the risk of developing problems with alcohol. That data reversal is very significant, signaling major changes in the profession in the last 20 to 30 years. And with job prospects at an all-time low, and student debt at an all-time high, these younger lawyers who are most in need of treatment are least able to afford it. The LAP Foundation of NC, Inc. is working to bridge that gap. Please see page 20 for the story.

### Depression, Stress, and Anxiety: 28% Report Concerns with Depression

Depression and anxiety often go hand in hand. The study found that 28% of attorneys, more than one in four, struggle with some level of depression, representing almost a ten percent increase from the 1990 Washington study. Males reported at a higher rate than females for depression. Nineteen percent reported mild or high levels of anxiety, with females reporting at a higher rate than males. Interestingly, when examining the full span of one's career, approximately 61% and 46% reported experiencing concerns with anxiety and depression, respectively, at some point in their career. Respondents also reported experiencing unreasonably high levels of stress (23%), social anxiety (16%), attention deficit hyperactivity disorder (12.5%), panic disorder (8%), and bipolar disorder (2.4%). More than 11% reported suicidal thoughts during their career. Three percent reported self-injurious behavior, and 0.7% reported at least one suicide attempt during the course of their career.

Like the findings associated with alcohol use, mental health conditions were higher in younger, less experienced attorneys and generally decreased as age and years of experience increased. The study also revealed significantly higher levels of anxiety, depression, and stress among those with problematic alcohol use, meaning mental health concerns often co-

18 SUMMER 2016

occurred with an alcohol use disorder.

### Barriers to Seeking Help - No Surprises

As part of the study, participants were asked to identify the biggest barriers to seeking treatment or assistance. Categorically, fear of being "found out" or stigmatized was the overwhelming first choice response. Regarding alcohol use, 67.5% said they didn't want others to find out, and 64% identified privacy and confidentiality as a major barrier. The responses for mental health concerns for these same two reasons were 55% and 47%, respectively. Additional reasons included concerns about losing their law license, not knowing who to ask for help, and not having insurance or money for treatment.


A surprising 84% indicated awareness and knowledge of lawyer assistance programs (LAPs), but only 40% would be likely to utilize the services of a LAP with privacy and confidentiality concerns again cited as the major barrier to seeking help through LAP programs.

#### Help and Hope

The data is far more extensive than can be outlined in this short article. There are telling findings about drug use, including use of prescription stimulants. Rates of depression, anxiety, and problematic drinking were also correlated to practice setting, with large firms and bar associations ranking highest. We can slice the data and analyze it extensively for years to come. But the key takeaway is that we now have hard data showing that one in three-to-four of us are at real risk and are not likely to seek out assistance.

Only 7% of participants reported that they obtained treatment for alcohol or drug use, and only 22% of those respondents went through programs tailored to legal professionals. Participants who sought help from programs tailored specifically for legal professionals had significantly better outcomes and lower (healthier) scores than those who sought treatment elsewhere. This suggests that programs with a unique understanding of lawyers and their work can better address the problems.

When I first took this job as director of our NC LAP, I met a lawyer in a spin class. She was sitting on the bike next to me and recognized me because my photo had appeared in a local bar newsletter. She said, "I hope I never have to call you or have need for your program's services." I thought about her com-



ment for a moment and said, "Our volunteers are some of the happiest, most balanced, most resilient lawyers—people—you could ever hope to meet. They don't come to us that way. But if they follow our suggestions, they become so. And they even like being lawyers again." She said, "Wow. That's cool. I never thought about it like that." Because we are confidential, most lawyers never see the miracles of healing and regeneration that take place every day in the transformed lives of those

who are willing to pocket their pride and simply ask for help. There is help and there is hope, and plenty of it. ■

Robynn Moraites is the executive director of the North Carolina Lawyer Assistance Program.

Infographic reprinted with permission from the February 2016 Wisconsin Lawyer article, "Landmark Study: US Lawyers Face High Rates of Problem Drinking and Mental Health Issues," published by the State Bar of Wisconsin.